

**PREHOMOGENEOUS SPACES ASSOCIATED WITH NILPOTENT
ORBITS IN TYPE EV**

STEVEN GLENN JACKSON AND ALFRED G. NOËL

Nilpotent orbits in type EV				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
1.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 \end{array}$	1	16	(1, 0, 0, 0, 0, 1)
2.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 0 & 1 & 0 & 0 & 0 & 1 & 0 \end{array}$	1	16	(1, 0, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
		2	4	(1, 0, 0, 0, 0, 1)
3.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 0 & 2 & 0 & 0 & 0 & 0 & 0 \end{array}$	2	12	(1, 0, 0, 0, 0, 1)
4.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 0 & 0 & 0 & 0 & 0 & 2 & 0 \end{array}$	2	12	(1, 0, 0, 0, 0, 1)
5.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 1 & 0 & 0 & 1 & 0 & 0 & 1 \end{array}$	1	15	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		2	6	(1, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		3	1	(1, 0, 0, 0, 0, 1)
6.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 2 & 0 & 0 & 0 & 0 & 0 & 0 & 2 \end{array}$	2	12	(1, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		4	1	(1, 0, 0, 0, 0, 1)
7.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 0 & 0 & 0 & 2 & 0 & 0 & 0 \end{array}$	2	16	(1, 0, 0, 0, 0, 1)
8.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 1 & 1 & 0 & 0 & 1 & 0 & 0 \end{array}$	1	13	(2, -1, 0, 0, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 0, 1)
		2	6	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 0, 1)
		3	3	(1, 0, 0, 0, 0, 1)
9.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 0 & 0 & 1 & 0 & 0 & 1 & 1 \end{array}$	1	13	(0, 0, -1, 1, 0, 1, -1) (1, 0, 0, 0, 1, -1, 0) (0, 0, 0, 0, 0, -1, 2)
		2	6	(1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		3	3	(1, 0, 0, 0, 0, 1)
10.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 2 & 0 & 1 & 0 & 0 & 0 & 0 & 1 \end{array}$	1	12	(-1, 1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		2	4	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 0, 0, 0, 0, 1)
		3	4	(1, 0, 0, 0, 1, -1)
<i>(continued on next page)</i>				

2000 *Mathematics Subject Classification.* 17B05;17B10;17B20;22E30.

Key words and phrases. Lie group, nilpotent orbit, prehomogeneous space.

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
11.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 1 & 0 & 0 & 0 & 1 & 0 & 2 \end{array}$	1	12	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 1, -1)
		2	4	(1, 0, 0, 0, 0, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		3	4	(-1, 1, 0, 0, 0, 0, 1)
		4	1	(1, 0, 0, 0, 0, 0, 1)
12.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 1 & 0 & 1 & 0 & 1 & 0 \end{array}$	1	12	(1, 0, 1, -1, 0, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		2	8	(1, 0, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
		3	4	(1, 0, 0, 0, 0, 0, 1)
13.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 3 & 0 & 0 & 0 & 1 & 0 & 0 \end{array}$	1	12	(-1, 1, 0, 0, 0, 0, 1)
		3	4	(1, 0, 0, 1, -1, 0, 0)
		4	3	(1, 0, 0, 0, 0, 0, 1)
14.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 0 & 1 & 0 & 0 & 0 & 3 \end{array}$	1	12	(1, 0, 0, 0, 0, 1, -1)
		3	4	(0, 0, -1, 1, 0, 0, 1)
		4	3	(1, 0, 0, 0, 0, 0, 1)
15.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 1 & 0 & 1 & 0 & 1 & 0 & 1 \end{array}$	1	12	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		2	8	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		3	4	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		4	1	(1, 0, 0, 0, 0, 0, 1)
16.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 4 & 0 & 0 & 0 & 0 & 0 & 0 \end{array}$	4	7	(1, 0, 0, 0, 0, 0, 1)
17.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 0 & 0 & 0 & 0 & 0 & 4 \end{array}$	4	7	(1, 0, 0, 0, 0, 0, 1)
18.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 2 & 0 & 0 & 0 & 2 & 0 & 0 \end{array}$	2	16	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 0, 1)
		4	3	(1, 0, 0, 0, 0, 0, 1)
19.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 0 & 2 & 0 & 0 & 0 & 2 \end{array}$	2	16	(1, 0, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		4	3	(1, 0, 0, 0, 0, 0, 1)
20.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 1 & 0 & 2 & 0 & 1 & 0 \end{array}$	1	8	(1, 0, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 0, 1)
		2	4	(0, -1, 1, 0, 1, -1, 0)
		3	8	(1, 0, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
		4	4	(1, 0, 0, 0, 0, 0, 1)
21.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 2 & 0 & 0 & 0 & 2 & 0 \end{array}$	2	16	(1, 0, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
		4	4	(1, 0, 0, 0, 0, 0, 1)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
22.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 2 & 0 & 2 & 0 & 0 & 0 \end{array}$	2	12	(1, 0, 1, -1, 0, 0, 0) (0, -1, 1, 0, 0, 0, 1)
		4	8	(1, 0, 0, 0, 0, 0, 1)
23.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 0 & 0 & 2 & 0 & 2 & 0 \end{array}$	2	12	(1, 0, 0, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		4	8	(1, 0, 0, 0, 0, 0, 1)
24.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 1 & 1 & 0 & 1 & 0 & 1 & 1 \end{array}$	1	10	(2, -1, 0, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, -1, 1, 0, 1, -1, 0) (0, 0, 0, 0, -1, 2)
				(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
				(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
				(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
				(1, 0, 0, 0, 0, 0, 1)
		2	8	(0, 0, -1, 2, -1, 0, 0) (1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
				(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
				(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
				(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
				(1, 0, 0, 0, 0, 0, 1)
25.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 1 & 0 & 1 & 1 & 1 & 0 & 1 \end{array}$	1	9	(0, 0, -1, 2, -1, 0, 0) (1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
				(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
				(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
				(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
				(1, 0, 0, 0, 0, 0, 1)
26.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 2 & 0 & 0 & 2 & 0 & 0 & 2 \end{array}$	2	15	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
				(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
				(1, 0, 0, 0, 0, 0, 1)
27.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 0 & 2 & 0 & 2 & 0 & 0 \end{array}$	2	12	(1, 0, 0, 1, -1, 0, 0) (0, 0, -1, 1, 0, 0, 1)
				(1, 0, 0, 0, 0, 0, 1)
		4	9	(1, 0, 0, 0, 0, 0, 1)
28.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 1 & 1 & 1 & 1 & 0 & 1 & 0 \end{array}$	1	9	(2, -1, 0, 0, 0, 0, 0) (-1, 2, -1, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
(continued on next page)				

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
29.		2	6	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 0, 1)
		3	5	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
		4	4	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 0, 1)
		5	2	(1, 0, 0, 0, 0, 0, 1)
30.		1	9	(0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, -1, 2, -1) (0, -1, 1, 1, -1, 0, 0) (1, 0, 1, -1, 0, 0, 0) (0, 0, 0, 0, -1, 2)
		2	6	(0, 0, 0, -1, 1, 1, -1) (0, -1, 1, 0, 1, -1, 0) (1, 0, 0, 1, -1, 0, 0) (0, 0, 0, 0, -1, 1, 1)
		3	5	(0, -1, 1, 0, 0, 1, -1) (1, 0, 0, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		4	4	(1, 0, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		5	2	(1, 0, 0, 0, 0, 0, 1)
31.		2	6	(1, 0, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 0, 1)
		4	9	(-1, 1, 0, 0, 0, 1, -1)
		6	6	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		8	1	(1, 0, 0, 0, 0, 0, 1)
32.		1	8	(-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		2	7	(2, -1, 0, 0, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		3	6	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		4	2	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 0, 1)
		5	2	(1, 0, 0, 0, 0, 1, -1)
		6	1	(1, 0, 0, 0, 0, 0, 1)
(continued on next page)				

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
		2	7	(1, 0, 1, -1, 0, 0, 0) (0, 0, -1, 1, 0, 1, -1) (-1, 1, 0, 0, 1, -1, 0) (0, 0, 0, 0, -1, 2)
		3	6	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		4	2	(1, 0, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		5	2	(-1, 1, 0, 0, 0, 0, 1)
		6	1	(1, 0, 0, 0, 0, 0, 1)
		33.	1	(1, 1, -1, 0, 0, 0, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		2	4	(0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 0, 0, 1)
		3	6	(1, 0, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 1, -1)
		4	5	(1, 0, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		5	2	(1, 0, 0, 0, 0, 0, 1)
		34.	1	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, 0, 0, 0, -1, 1, 1)
		2	4	(0, 0, -1, 1, 1, -1, 0) (1, 0, 0, 1, -1, 0, 0)
		3	6	(-1, 1, 0, 0, 1, -1, 0) (0, 0, -1, 1, 0, 0, 1)
		4	5	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 0, 1)
		5	2	(1, 0, 0, 0, 0, 0, 1)
		35.	1	(1, 1, -1, 0, 0, 0, 0) (0, 0, -1, 1, 0, 0, 1)
		3	6	(-1, 1, 0, 0, 1, -1, 0)
		4	7	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 0, 1)
		5	2	(1, 0, 0, 0, 0, 0, 1)
		36.	1	(1, 0, 0, 1, -1, 0, 0) (0, 0, 0, 0, -1, 1, 1)
		3	6	(0, -1, 1, 0, 0, 1, -1)
		4	7	(1, 0, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		5	2	(1, 0, 0, 0, 0, 0, 1)
		37.	1	(2, -1, 0, 0, 0, 0, 0) (-1, 2, -1, 0, 0, 0, 0) (0, 0, 0, 0, -1, 2, -1) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, 0, 0, -1, 2)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
		2	7	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		3	6	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		4	3	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		5	2	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		6	1	(1, 0, 0, 0, 0, 0, 1)
38.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 2 & 2 & 0 & 0 & 0 & 2 & 2 \end{array}$	2	10	(2, -1, 0, 0, 0, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, 0, 0, -1, 2)
		4	9	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		6	2	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		8	1	(1, 0, 0, 0, 0, 0, 1)
39.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 0 & 4 & 0 & 0 & 0 & 0 \end{array}$	4	15	(1, 0, 0, 0, 0, 0, 1)
40.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 0 & 0 & 0 & 4 & 0 & 0 \end{array}$	4	15	(1, 0, 0, 0, 0, 0, 1)
41.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 2 & 0 & 2 & 0 & 0 & 2 & 0 \end{array}$	2	14	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, 0, -1, 1, 0, 0, 1)
		4	7	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 0, 1)
		6	2	(1, 0, 0, 0, 0, 0, 1)
42.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 2 & 0 & 0 & 2 & 0 & 2 \end{array}$	2	14	(1, 0, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		4	7	(1, 0, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		6	2	(1, 0, 0, 0, 0, 0, 1)
43.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 2 & 0 & 2 & 0 & 2 & 0 \end{array}$	2	12	(1, 0, 1, -1, 0, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		4	8	(1, 0, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
		6	4	(1, 0, 0, 0, 0, 0, 1)
44.	$\begin{array}{ccccccc} \circ & -\circ & -\circ & -\circ & -\circ & -\circ & -\circ \\ 0 & 4 & 0 & 2 & 0 & 2 & 0 \end{array}$	2	8	(0, -1, 1, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
45.		4	8	(1, 0, 1, -1, 0, 0, 0) (0, -1, 1, 0, 0, 1)
		6	4	(1, 0, 0, 0, 1, -1, 0)
		8	4	(1, 0, 0, 0, 0, 0, 1)
46.		2	8	(1, 0, 1, -1, 0, 0, 0) (0, -1, 1, 0, 1, -1, 0)
		4	8	(1, 0, 0, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		6	4	(0, -1, 1, 0, 0, 1, 0)
		8	4	(1, 0, 0, 0, 0, 0, 1)
		1	6	(-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		2	2	(2, -1, 0, 0, 0, 0, 0) (0, 0, 0, -1, 1, 0, 1)
		3	4	(0, -1, 1, 1, -1, 0, 0) (1, 0, 1, -1, 0, 0, 0)
		4	5	(-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 1, -1)
47.		5	4	(-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		6	2	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 0, 1)
		7	2	(1, 0, 0, 0, 0, 1, -1)
		8	1	(1, 0, 0, 0, 0, 0, 1)
		1	6	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1)
		2	2	(1, 0, 1, -1, 0, 0, 0) (0, 0, 0, 0, -1, 1, 2)
		3	4	(0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		4	5	(0, 0, -1, 1, 0, 1, -1) (-1, 1, 0, 0, 1, -1, 0)
48.		5	4	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1)
		6	2	(1, 0, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		7	2	(-1, 1, 0, 0, 0, 0, 1)
		8	1	(1, 0, 0, 0, 0, 0, 1)
(continued on next page)				

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
		4	5	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		5	3	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 0, 1)
		7	1	(1, 0, 0, 0, 0, 1, -1)
		8	1	(1, 0, 0, 0, 0, 0, 1)
49.		1	7	(2, -1, 0, 0, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, -1, 1, 0, 1, -1, 0)
		2	4	(-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 0, 0, 1, -1)
		3	5	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, 0, 0, 0, -1, 2)
		4	5	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		5	3	(1, 0, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		7	1	(-1, 1, 0, 0, 0, 0, 1)
		8	1	(1, 0, 0, 0, 0, 0, 1)
50.		1	7	(2, -1, 0, 0, 0, 0, 0) (-1, 2, -1, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, -1, 2, -1) (0, 0, 0, 0, 0, -1, 2)
		2	6	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		3	5	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		4	4	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		5	3	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		6	2	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
51.		1	6	(-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 0, 1)
		3	4	(1, 1, -1, 0, 0, 0, 0) (0, 0, -1, 1, 1, -1, 0)
		4	7	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, 0, -1, 1, 0, 0, 1)
		5	4	(-1, 1, 0, 0, 0, 0, 1)
		7	2	(1, 0, 0, 0, 1, -1, 0)
		8	2	(1, 0, 0, 0, 0, 1)
52.		1	6	(0, 0, 0, -1, 1, 1, -1) (1, 0, 1, -1, 0, 0, 0)
		3	4	(0, -1, 1, 1, -1, 0, 0) (0, 0, 0, 0, -1, 1, 1)
		4	7	(1, 0, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		5	4	(1, 0, 0, 0, 0, 1, -1)
		7	2	(0, -1, 1, 0, 0, 0, 1)
		8	2	(1, 0, 0, 0, 0, 1)
53.		1	6	(2, -1, 0, 0, 0, 0, 0) (-1, 2, -1, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, -1, 2) (0, 0, 0, 0, -1, 2)
		2	5	(0, 0, -1, 2, -1, 0, 0) (1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		3	4	(0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (1, 0, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 0, 1)
		4	3	(-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 1, -1)
		5	4	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		6	3	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		7	2	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		8	1	(1, 0, 0, 0, 0, 0, 1)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
54.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 2 & & 0 & & 2 & & 0 & & 2 \\ & & & & & & & & \end{array}$	2	12	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		4	8	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		6	4	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		8	1	(1, 0, 0, 0, 0, 0, 1)
55.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 4 & & 0 & & 0 & & 4 & & 0 \\ & & & & & & & & 0 \\ & & & & & & & & 0 \end{array}$	4	15	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 0, 0, 1)
		8	4	(1, 0, 0, 0, 0, 0, 1)
56.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 0 & & 0 & & 0 & & 4 & & 0 \\ & & & & & & 0 & & 0 \\ & & & & & & 4 & & 0 \end{array}$	4	15	(1, 0, 0, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		8	4	(1, 0, 0, 0, 0, 0, 1)
57.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 2 & & 0 & & 2 & & 2 & & 0 \\ & & & & & & 0 & & 2 \\ & & & & & & & & 0 \end{array}$	2	10	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		4	7	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, 0, -1, 1, 0, 0, 1)
		6	6	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 0, 1)
		8	2	(1, 0, 0, 0, 0, 0, 1)
58.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 0 & & 2 & & 0 & & 2 & & 2 \\ & & & & & & 0 & & 0 \\ & & & & & & 2 & & 0 \\ & & & & & & & & 2 \end{array}$	2	10	(0, -1, 1, 1, -1, 0, 0) (0, 0, 0, -1, 1, 1, -1) (1, 0, 1, -1, 0, 0, 0) (0, 0, 0, 0, -1, 1, 1)
		4	7	(1, 0, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		6	6	(1, 0, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		8	2	(1, 0, 0, 0, 0, 0, 1)
59.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 1 & & 2 & & 1 & & 1 & & 1 \\ & & & & & & 2 & & 1 \end{array}$	1	5	(2, -1, 0, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, 0, -1, 2)
		2	4	(-1, 2, -1, 0, 0, 0, 0) (0, 0, 0, 0, -1, 2, -1) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0)
		3	5	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, -1, 1, 0, 1, -1, 0) (0, 0, 0, 0, -1, 1, 1)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
60.		4	4	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
				(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
				(1, 0, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
				(-1, 1, 0, 0, 0, 1, -1)
		8	2	(1, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 1)
				(1, 0, 0, 0, 0, 1)
		9	1	(1, 0, 0, 0, 0, 0, 1)
				(2, -1, 0, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, -1, 2, -1) (0, 0, 0, 0, 0, -1, 2)
				(0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
61.		1	6	(-1, 2, -1, 0, 0, 0, 0) (0, -1, 1, 0, 1, -1, 0, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
				(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
				(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 0, 1)
				(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0)
				(1, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 1)
				(1, 0, 0, 0, 0, 1)
				(2, -1, 0, 0, 0, 0, 0) (-1, 2, -1, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, 0, -1, 2)
				(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
		2	4	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0)
		3	4	(0, 0, 0, 0, -1, 2, -1) (1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0)
		4	4	(0, 0, 0, -1, 1, 1, -1) (1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, 0, 0, 0, -1, 1, 1)
		5	3	(0, 0, -1, 1, 0, 1, -1) (1, 0, 0, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		6	2	(0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		7	2	(-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		8	2	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		9	1	(1, 0, 0, 0, 0, 0, 1)
62.		2	10	(2, -1, 0, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, -1, 1, 0, 1, -1, 0) (0, 0, 0, 0, 0, -1, 2)
		4	8	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		6	5	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		8	2	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		10	1	(1, 0, 0, 0, 0, 0, 1)
63.		2	8	(1, 1, -1, 0, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, 0, -1, 1, 1)
		4	9	(0, -1, 1, 0, 1, -1, 0) (1, 0, 0, 1, -1, 0, 0) (0, 0, -1, 1, 0, 0, 1)
		6	4	(1, 0, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
		8	4	(1, 0, 0, 0, 0, 0, 1)
64.		1	5	(2, -1, 0, 0, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, 0, 0, -1, 1, 1)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
		3	5	(-1, 2, -1, 0, 0, 0) (0, 0, -1, 1, 0, -1)
		4	7	(1, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1) (0, 0, -1, 1, 0, 1)
		5	3	(1, 0, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 1)
		7	2	(-1, 1, 0, 0, 0, 1, -1)
		8	3	(1, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 1)
		9	1	(1, 0, 0, 0, 0, 1)
		65.	1	(1, 1, -1, 0, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, 0, -1, 2)
		3	5	(0, 0, 0, 0, -1, 2, -1) (-1, 1, 0, 1, -1, 0, 0)
		4	7	(0, 0, -1, 1, 0, 1, -1) (1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, 0, 0, 0, -1, 1, 1)
		5	3	(1, 0, 0, 0, 1, -1, 0) (0, 0, -1, 1, 0, 0, 1)
		7	2	(-1, 1, 0, 0, 0, 1, -1)
		8	3	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		9	1	(1, 0, 0, 0, 0, 0, 1)
		66.	2	(2, -1, 0, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 2)
		4	8	(1, 0, 1, -1, 0, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		6	4	(-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1)
		8	5	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		10	2	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		12	1	(1, 0, 0, 0, 0, 0, 1)
		67.	2	(2, -1, 0, 0, 0, 0, 0) (-1, 2, -1, 0, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, 0, -1, 1, 1)
(continued on next page)				

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
68.	$\begin{array}{ccccccc} \circ & \circ & \circ & \circ & \circ & \circ & \circ \\ 2 & 0 & 2 & 0 & 2 & 2 & 2 \end{array}$	4	7	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		6	5	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		8	3	(1, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		10	1	(1, 0, 0, 0, 0, 0, 1)
69.	$\begin{array}{ccccccc} \circ & \circ & \circ & \circ & \circ & \circ & \circ \\ 0 & 4 & 0 & 0 & 4 & 0 & 0 \end{array}$	2	10	(0, 0, 0, -1, 2, -1) (1, 1, -1, 0, 0, 0, 0) (0, 0, -1, 1, 1, -1, 0) (-1, 1, 0, 1, -1, 0, 0) (0, 0, 0, 0, -1, 2)
		4	7	(0, 0, -1, 1, 0, 1, -1) (1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, 0, 0, 0, -1, 1, 1)
		6	5	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		8	3	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		10	1	(1, 0, 0, 0, 0, 0, 1)
70.	$\begin{array}{ccccccc} \circ & \circ & \circ & \circ & \circ & \circ & \circ \\ 0 & 0 & 4 & 0 & 0 & 4 & 0 \end{array}$	4	15	(1, 0, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 0, 1)
		8	6	(1, 0, 0, 0, 0, 0, 1)
71.	$\begin{array}{ccccccc} \circ & \circ & \circ & \circ & \circ & \circ & \circ \\ 2 & 2 & 2 & 0 & 2 & 2 & 2 \end{array}$	4	15	(1, 0, 0, 0, 1, -1, 0) (0, 0, -1, 1, 0, 0, 1)
		8	6	(1, 0, 0, 0, 0, 0, 1)
		2	8	(2, -1, 0, 0, 0, 0, 0) (-1, 2, -1, 0, 0, 0, 0) (0, 0, 0, 0, -1, 2, -1) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, 0, -1, 2)
		4	7	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		6	6	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		8	3	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
72.		10	2	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		12	1	(1, 0, 0, 0, 0, 0, 1)
72.		1	4	(0, 0, 0, -1, 2, -1, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, 0, -1, 2)
		3	4	(0, 0, -1, 2, -1, 0, 0) (0, 0, 0, 0, -1, 2, -1) (1, 1, -1, 0, 0, 0, 0)
		4	6	(0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 1, -1) (1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, 0, 0, 0, -1, 1, 1)
		5	3	(-1, 1, 0, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		7	2	(0, 0, -1, 1, 0, 1, -1) (1, 0, 0, 1, -1, 0, 0)
		8	4	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		9	2	(-1, 1, 0, 0, 0, 0, 1)
		11	1	(1, 0, 0, 0, 0, 1, -1)
		12	1	(1, 0, 0, 0, 0, 0, 1)
73.		1	4	(2, -1, 0, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1)
		3	4	(-1, 2, -1, 0, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, -1, 1, 1)
		4	6	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		5	3	(1, 0, 1, -1, 0, 0, 0) (0, -1, 1, 0, 0, 1, -1)
		7	2	(-1, 1, 0, 1, -1, 0, 0) (0, 0, -1, 1, 0, 0, 1)
		8	4	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		9	2	(1, 0, 0, 0, 0, 1, -1)
		11	1	(-1, 1, 0, 0, 0, 0, 1)
		12	1	(1, 0, 0, 0, 0, 0, 1)
74.		1	4	(-1, 2, -1, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, 0, -1, 2)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
75.		2	2	(0, 0, 0, 0, -1, 2, -1) (-1, 1, 1, -1, 0, 0, 0)
		3	4	(2, -1, 0, 0, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		4	4	(1, 1, -1, 0, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		5	3	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0)
		6	2	(0, 0, -1, 1, 0, 1, -1) (-1, 1, 0, 0, 1, -1, 0)
		7	2	(0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		8	3	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		9	2	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 0, 1)
		11	1	(1, 0, 0, 0, 0, 1, -1)
		12	1	(1, 0, 0, 0, 0, 0, 1)
		1	4	(2, -1, 0, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, -1, 2, -1)
		2	2	(-1, 2, -1, 0, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1)
		3	4	(0, 0, -1, 2, -1, 0, 0) (1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, 0, -1, 2)
		4	4	(0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (1, 0, 1, -1, 0, 0, 0) (0, 0, 0, 0, -1, 1, 1)
		5	3	(0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		6	2	(-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 1, -1)
		7	2	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0)
		8	3	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		9	2	(1, 0, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)

(continued on next page)

Nilpotent orbits in type EV (continued)						
Orbit	$K_{\mathbb{C}}$ diagram	i	dim $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$		Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	
			11	1		
			12	1		
76.		2	8	$(2, -1, 0, 0, 0, 0, 0)$ $(-1, 2, -1, 0, 0, 0, 0)$ $(0, -1, 2, -1, 0, 0, 0)$ $(0, 0, -1, 2, -1, 0, 0)$ $(0, 0, 0, -1, 1, 1, -1)$ $(0, 0, 0, 0, -1, 1, 1)$		
77.		2	8	$(0, 0, -1, 2, -1, 0, 0)$ $(0, 0, 0, -1, 2, -1, 0)$ $(0, 0, 0, 0, -1, 2, -1)$ $(1, 1, -1, 0, 0, 0, 0)$ $(-1, 1, 1, -1, 0, 0, 0)$ $(0, 0, 0, 0, 0, -1, 2)$		
78.		4	13	$(1, 0, 1, -1, 0, 0, 0)$ $(-1, 1, 0, 0, 1, -1, 0)$ $(0, 0, 0, -1, 1, 0, 1)$		
(continued on next page)						

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
79.		12	2	(1, 0, 0, 0, 0, 0, 1)
		4	13	(1, 0, 1, -1, 0, 0, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		8	8	(1, 0, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
80.		12	2	(1, 0, 0, 0, 0, 0, 1)
		2	6	(-1, 2, -1, 0, 0, 0, 0) (0, 0, 0, 0, -1, 2, -1) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0)
		4	7	(2, -1, 0, 0, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, 0, 0, -1, 2)
		6	4	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		8	5	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		10	2	(1, 0, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
		12	2	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		16	1	(1, 0, 0, 0, 0, 0, 1)
81.		2	7	(2, -1, 0, 0, 0, 0, 0) (-1, 2, -1, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, -1, 2, -1) (0, 0, 0, 0, 0, -1, 2)
		4	6	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		6	5	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		8	4	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
82.		10	3	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		12	2	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		14	1	(1, 0, 0, 0, 0, 0, 1)
		1	3	(0, -1, 2, -1, 0, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, -1, 2)
		3	3	(2, -1, 0, 0, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, 0, -1, 2, -1)
		4	5	(-1, 2, -1, 0, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		5	3	(-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		7	2	(1, 1, -1, 0, 0, 0, 0) (0, 0, -1, 1, 0, 1, -1)
		8	4	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		9	2	(-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
		11	1	(1, 0, 0, 1, -1, 0, 0)
		12	2	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1)
		13	1	(-1, 1, 0, 0, 0, 0, 1)
		15	1	(1, 0, 0, 0, 0, 1, -1)
		16	1	(1, 0, 0, 0, 0, 0, 1)
83.		1	3	(2, -1, 0, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, 0, -1, 2, -1, 0)
		3	3	(-1, 2, -1, 0, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, 0, -1, 2)
		4	5	(0, 0, 0, 0, -1, 2, -1) (1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0)
		5	3	(0, 0, 0, -1, 1, 1, -1) (1, 0, 1, -1, 0, 0, 0) (0, -1, 1, 0, 1, -1, 0)
		7	2	(-1, 1, 0, 1, -1, 0, 0) (0, 0, 0, 0, -1, 1, 1)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
84.		8	4	(0, 0, -1, 1, 0, 1, -1) (1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
				(0, -1, 1, 0, 0, 1, -1) (1, 0, 0, 0, 1, -1, 0)
				(0, 0, -1, 1, 0, 0, 1)
				(-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
			13	(1, 0, 0, 0, 0, 1, -1)
			15	(-1, 1, 0, 0, 0, 0, 1)
			16	(1, 0, 0, 0, 0, 0, 1)
85.		84.	2	(-1, 2, -1, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, -1, 2, -1)
				(2, -1, 0, 0, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, 0, -1, 2)
				(1, 1, -1, 0, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, 0, -1, 1, 1)
				(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
			10	(-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1)
			12	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
			14	(1, 0, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
			16	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
			20	(1, 0, 0, 0, 0, 0, 1)
			2	(2, -1, 0, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, -1, 2, -1) (0, 0, 0, 0, 0, -1, 2)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
		4	5	(-1, 2, -1, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
				(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
				(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
				(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
				(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1)
		10	2	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
				(1, 0, 0, 0, 0, 0, 1)
86.	 $\begin{matrix} \circ & \circ & \circ & \circ & \circ & \circ & \circ \\ 2 & 2 & 2 & 2 & 2 & 4 & 2 \end{matrix}$	12	6	(2, -1, 0, 0, 0, 0, 0) (-1, 2, -1, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, -1, 2, 0, 0) (0, 0, 0, 0, -1, 2)
				(0, 0, 0, 0, -1, 2, -1) (1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0)
				(0, 0, 0, -1, 1, 1, -1) (1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, 0, 0, -1, 1, 1)
		14	4	(0, 0, -1, 1, 0, 1, -1) (1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
				(0, -1, 1, 0, 0, 1, -1) (1, 0, 0, 0, 1, -1, 0) (0, 0, -1, 1, 0, 0, 1)
				(-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		16	2	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
				(1, 0, 0, 0, 0, 0, 1)
				(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	K_C diagram	i	$\dim \mathfrak{g}_C^i \cap \mathfrak{k}_C$	Highest weights of $\mathfrak{g}_C^i \cap \mathfrak{k}_C$
87.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 4 & & 4 & & 0 & & 4 & & 0 & & 4 & & 0 \end{array}$	4	11	(2, -1, 0, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		8	8	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 0, 1)
		12	4	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 0, 1)
		16	2	(1, 0, 0, 0, 0, 0, 1)
88.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 0 & & 4 & & 0 & & 4 & & 0 & & 4 & & 4 \end{array}$	4	11	(0, 0, 0, -1, 1, 1, -1) (1, 0, 1, -1, 0, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, 0, 0, -1, 2)
		8	8	(0, -1, 1, 0, 0, 1, -1) (1, 0, 0, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		12	4	(1, 0, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		16	2	(1, 0, 0, 0, 0, 0, 1)
89.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 4 & & 4 & & 0 & & 4 & & 4 & & 0 & & 4 \end{array}$	4	9	(2, -1, 0, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
		8	8	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
		12	5	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
		16	3	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
		20	1	(1, 0, 0, 0, 0, 0, 1)
90.	$\begin{array}{ccccccccc} \circ & - & \circ & - & \circ & - & \circ & - & \circ \\ 4 & & 0 & & 4 & & 4 & & 0 & & 4 & & 4 \end{array}$	4	9	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 2)
		8	8	(1, 0, 1, -1, 0, 0, 0) (0, 0, -1, 1, 0, 1, -1) (-1, 1, 0, 0, 1, -1, 0) (0, 0, 0, -1, 1, 0, 1)
		12	5	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
		16	3	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)

(continued on next page)

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	dim $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
			20	(1, 0, 0, 0, 0, 0, 1)
91.		4 4 4 4 4 0 4 4	4	(2, -1, 0, 0, 0, 0, 0) (-1, 2, -1, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 2)
			8	(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
			12	(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
			16	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
			20	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
			24	(1, 0, 0, 0, 0, 0, 1)
92.		4 4 4 0 4 4 4 4	4	(2, -1, 0, 0, 0, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, -1, 2, -1) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, 0, 0, 0, -1, 2)
			8	(0, 0, 0, -1, 1, 1, -1) (1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, 0, 0, -1, 1, 1)
			12	(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
			16	(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
			20	(1, 0, 0, 0, 0, 1, -1) (-1, 1, 0, 0, 0, 0, 1)
			24	(1, 0, 0, 0, 0, 0, 1)
93.		4 8 4 4 4 4 4 4	4	(-1, 2, -1, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, -1, 2, -1) (0, 0, 0, 0, 0, -1, 2)
(continued on next page)				

Nilpotent orbits in type EV (continued)				
Orbit	$K_{\mathbb{C}}$ diagram	i	$\dim \mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$	Highest weights of $\mathfrak{g}_{\mathbb{C}}^i \cap \mathfrak{k}_{\mathbb{C}}$
		8	6	(2, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 1, 1)
				(1, 1, -1, 0, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
				(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
				(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
				(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 0, 1)
				(1, 0, 0, 0, 0, 1, -1)
				(1, 0, 0, 0, 0, 0, 1)
94.		4	6	(2, -1, 0, 0, 0, 0, 0) (-1, 2, -1, 0, 0, 0, 0) (0, -1, 2, -1, 0, 0, 0) (0, 0, -1, 2, -1, 0, 0) (0, 0, 0, -1, 2, -1, 0) (0, 0, 0, 0, -1, 2, -1)
				(1, 1, -1, 0, 0, 0, 0) (-1, 1, 1, -1, 0, 0, 0) (0, -1, 1, 1, -1, 0, 0) (0, 0, -1, 1, 1, -1, 0) (0, 0, 0, -1, 1, 1, -1) (0, 0, 0, 0, -1, 2)
				(1, 0, 1, -1, 0, 0, 0) (-1, 1, 0, 1, -1, 0, 0) (0, -1, 1, 0, 1, -1, 0) (0, 0, -1, 1, 0, 1, -1) (0, 0, 0, 0, -1, 1, 1)
				(1, 0, 0, 1, -1, 0, 0) (-1, 1, 0, 0, 1, -1, 0) (0, -1, 1, 0, 0, 1, -1) (0, 0, 0, -1, 1, 0, 1)
				(1, 0, 0, 0, 1, -1, 0) (-1, 1, 0, 0, 0, 1, -1) (0, 0, -1, 1, 0, 0, 1)
				(1, 0, 0, 0, 0, 1, -1) (0, -1, 1, 0, 0, 0, 1)
				(-1, 1, 0, 0, 0, 0, 1)
		20	1	(1, 0, 0, 0, 0, 0, 1)

PREHOMOGENEOUS SPACES ASSOCIATED WITH NILPOTENT ORBITS IN TYPE **EV** 25

DEPARTMENT OF MATHEMATICS, UNIVERSITY OF MASSACHUSETTS, 100 MORRISSEY BOULEVARD,
BOSTON, MA 02125-3393

E-mail address: jackson@math.umb.edu

E-mail address: anoel@math.umb.edu