

Practice for Log part of the Final Exam

Math 130 *Kovitz* Fall 2016

1. Let

$$f(x) = \frac{1}{9x-2} + 5.$$

- (a) Find its inverse. Find either a formula for $f^{-1}(x)$ or a verbal string for the inverse.
- (b) Find $f(6)$, $f^{-1}(6)$, $f(f^{-1}(6))$, and $f^{-1}(f(6))$.
- (c) True or false.

f is its own inverse, meaning that its graph is symmetric across the line $y = x$.

2. In each of parts (a) through (d), approximate the logarithm, using the properties of logarithms, given $\log_b 2 \approx 0.3562$, $\log_b 3 \approx 0.5646$, and $\log_b 5 \approx 0.8271$.

(a) $\log_b 7.5$

(b) $\log_b 0.4$

(c) $\log_b 32$

(d) $\log_b \sqrt{27b}$

3. For the previous problem, estimate b to two-decimal-place accuracy.
4. Graph $y = \log_5 x$ for $-2 \leq y \leq 3$, labeling the point on the graph for each integer-valued y between -2 and 3 (including -2 and 3). Also draw an arrow pointing to the asymptote. The asymptote will be portion of a certain straight line.
5. Solve for x :

$$\log_8 \left(1 - \frac{x^2}{18} \right) - \log_8 \left(\frac{4x}{3} \right) = -1.$$

6. The number of bacteria in a culture is increasing according to the law of exponential growth. The initial population is 125 bacteria, and the population after 43 hours is double the population after 31 hours.
 - (a) How many bacteria will there be after 30 hours? After 120 hours?
 - (b) Find the percent increase per hour.
Use any of three methods to answer this:
 - Find an expression that includes a radical.
 - Use the Rule of 70 for a rough approximation.
 - Use a calculator to get a 4-decimal-place approximation.
 - (c) Find the 8-hour growth factor.
Answer with an exact radical or with an approximate decimal to 4-decimal-place accuracy.
 - (d) When will there be 1000 bacteria present?
7. A population is increasing according to the law of exponential growth. The initial population is 100, and—at any time—the population is double what it was 40 minutes ($\frac{2}{3}$ hours) earlier.
 - (a) How large will the population be after 4 hours? After 1 hour?
 - (b) Find the percent increase per hour.
Use either of the following two methods to answer this:
 - Find an expression that includes a radical.
 - Use a calculator to get a 4-decimal-place approximation.
 - (c) Find the 2-hour growth factor; and find the one-minute growth factor.
Answer with an exact radical or with an approximate decimal to 4-decimal-place accuracy.
 - (d) When will there be 1600 bacteria present?
8. The number of bacteria in a culture is increasing according to the law of exponential growth. The initial population is 732 bacteria, and it takes 17 minutes to double.
 - (a) How many bacteria will there be after 37 minutes?
 - (b) Find, to four-decimal-place accuracy, the percent increase in (i.) one minute and (ii.) one hour.
 - (c) Find, to four-decimal-place accuracy, the growth factor for (i.) 8 minutes and for (ii.) one hour.
 - (d) When will there be 50,000 bacteria present?

ANSWERS FOLLOW

Answers.

1. (a) $f^{-1}(x) = \frac{2x-9}{9x-45}$ or use the verbal string: subtract 5, take reciprocal, add 2, then divide by 9.
(b) $5\frac{1}{52}$, $1/3$, 6, and 6.
(c) False.
The equations for $f(x)$ and for $f^{-1}(x)$ are not equivalent.
Or the two verbal strings are not equivalent, since they do not give the same answer for all possible inputs.
Or take any point a in the domain of f and check whether $f(f(a)) = a$. Try $f(f(1/9))$. The result is $f(4) = 5\frac{1}{34}$: not $1/9$.
2. (a) 1.0355; (b) -0.4709 ; (c) 1.7810; (d) 1.3469.
3. 7.00.
4. (graph not shown) The graph is in the first and fourth quadrants, decreasing, concave down, and has an x -intercept at $(1, 0)$. The asymptote is the negative y -axis.
The requested points are $(1/25, -2)$, $(1/5, -1)$, $(1, 0)$, $(5, 1)$, $(25, 2)$, and $(125, 3)$.
5. $x = 3$.
6. (a) About 707 after 30 hours, and exactly 128,000 after 120 hours.
(b) An expression: $100\%(\sqrt[13]{2} - 1)$; from the rule of 70: a bit less than 6%; a calculator approximation: 5.9463%.
(c) An exact answer: $\sqrt[3]{4}$; approximately 1.5874.
(d) After exactly 36 hours.
7. (a) Exactly 6400 after 4 hours, and approximately 283 after one hour.
(b) An expression: $100\%(2\sqrt{2} - 1)$; a calculator approximation: 182.8246%.
(c) For two hours: 8; for one minute: an exact answer: $\sqrt[40]{2}$; approximately a 1.01748.
(d) After exactly 2 hours and 40 minutes, which is $2\frac{2}{3}$ hours.
8. (a) About 3.309.
(b) (i.) About 4.1616%; (ii.) about 1054.67246%.
(c) (i.) About 1.385674 (exactly $2^{8/17}$); (ii.) about 11.5467246 (exactly $2^{60/17}$).
(d) After about 103.597 minutes; or one hour, 43 minutes, and roughly 35.82 seconds.